



ITEM	QTY	P/N	DESCRIPTION
	X	D4353-041	429 BEARPAW ASSEMBLY
1	1	D4353-1	429 BEARPAW
2	1	D4353-3	429 BEARPAW INSERT



D4353-041 429 BEARPAW ASSEMBLY




RELEASED
2011-05-24
AND

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 7.45 lbs
- 8) PRESS FIT






B	SHT 1 WEIGHT CORRECTED WAS 8.24 lbs. SHTS 1-3 DART LOGOS UPDATED. SHT 2, ZONE B8, AFT POCKET REDUCED, RIB INCREASED IN HEIGHT. SHT 3 SECTS. B,C & D RIB INCREASED IN HEIGHT.	AJS	11.04.26
A	NEW ISSUE	AJS	11.03.24
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	14P	DRAWING NO.	REV. B
MFG. APPR.	9/1	D4353	SHEET 1 OF 4
APPROVED	14P	TITLE	SCALE
DE APPR.	14P	429 BEARPAW ASSEMBLY	NTS
DATE	11.04.26	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	





- NOTES:
- 1) MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689, 1.000 THICK.
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: ENGRAVE WITH DART ASSEMBLY P/N "D4353-041" AND B/N "BXXXXX" 0.005 - 0.010 DP AS SHOWN
 - 7) WEIGHT: 7.07 lbs
 - 8) ENGRAVE "DART" LOGO AS SHOWN 0.003 - 0.005 DP.



D4353-1 429 BEARPAW

RELEASED
2011-05-04
MM

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D4353	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		429 BEARPAW ASSEMBLY	NTS
DATE	11.04.26	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D4353-3 429 BEARPAW INSERT



SECTION F-F C7-4

RELEASED
2011-05-24

- NOTES:**
- 1) MATERIAL: UHMW BLACK PER SPEC CONTROL DRAWING D2689, 1.000 THICK.
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.38 lbs

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4353	SHEET 4 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	429 BEARPAW ASSEMBLY	NTS
DATE	11.04.26	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	